

Биометрические термометры

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cuo@nt-rt.ru || сайт: <https://cooper-atkins.nt-rt.ru/>

BIMETAL COOKING THERMOMETERS


Our specialty foodservice thermometers are marked with correct temperature and hot holding, you will get the results you want every time.

- ▶ HACCP GUIDELINES
- ▶ STAINLESS STEEL CONSTRUCTION





323 Roasting Thermometer

Preset pointer for accurate measurements



3270
Deep Fry Thermometer
Wooden Handle and Hold/Ideal zoned dial

	322	323	329
	Candy/Jelly/Deep-Fry Thermometer	Roasting Thermometer	Deep-Fry Confection Paddle Thermometer
Temperature Range:	200° to 400°F (90° to 200°C)	120° to 200°F (49° to 93°C)	100° to 400°F (40° to 200°C)
Accuracy:	±5°F	±2°F (±1°C)	±2°F (±1°C)
Housing Material:	Stainless Steel	Stainless Steel	Stainless Steel
Dial Diameter:	2.5" (64 mm)	2.5" (64 mm)	-
Stem Diameter:	0.19" (4.8 mm)	0.19" (4.8 mm)	-
Stem Length:	6" (152.4 mm) w/ vessel clip	6" (152 mm)	12.5" (318 mm)
Lens Material:	Glass	Glass	Non-toxic liquid-filled glass tuber
Weight:	2 oz (57 g)	2 oz (57 g)	4 oz (113.4 g)
Regulatory Listings:			
Warranty:	1 Year	1 Year	1 Year


zones for food safety and product quality. With a large selection of NSF-listed thermometers specifically for cooking



3210 Grill Surface Thermometer
With unique grips for easy removal from hot grill surfaces



329 Paddle Thermometer
With easy to grip plastic handle and preset pointers



	3210	3270	1236-70
	Grill Surface Thermometer	Deep-Fry Thermometer	Espresso Thermometer
	100° to 600°F (50° to 300°C)	50° to 550°F (10° to 285°C)	0° to 220°F
	±25°F (±12°C)	±10°F (±5°C)	±2°F
	Aluminum	Stainless Steel	Stainless Steel
	2.5" (64 mm)	2.5" (64 mm)	1" (25 mm)
	-	0.25" (6.3 mm)	0.15" (3.6 mm)
	-	15" (381 mm)	5" (127 mm)
	Glass	Glass	Magnifying Polycarbonate
	3 oz (85 g)	5.5 oz (156 g)	0.5 oz (14 g)
		-	
	1 Year	1 Year	1 Year

BIMETAL COOKING THERMOMETERS



Our specialty foodservice thermometers are marked with correct temperature and hot holding, you will get the results you want every time.

- ▶ HACCP GUIDELINES
- ▶ STAINLESS STEEL CONSTRUCTION



2237-04
Make the perfect espresso every time!




	2200-07	2237-04	
	Cooling Thermometer	Espresso Thermometer	
Temperature Range:	30° to 165°F	0° to 220°F (-10° to 104°C)	
Accuracy:	±2°F (±1°C)	±2°F (±1°C)	
Housing Material:	Stainless Steel	Stainless Steel	
Dial Diameter:	2" (50 mm)	1.75" (44 mm)	
Stem Diameter:	0.197" (6.3 mm)	0.15" (3.8 mm)	
Stem Length:	18" (466 mm) w/ vessel clip	7" (178 mm) w/ vessel clip	
Lens Material:	Glass	Magnifying Polycarbonate	
Weight:	3 oz (85 g)	1 oz (28 g)	
Regulatory Listings:			
Warranty:	1 Year	1 Year	


zones for food safety and product quality. With a large selection of NSF-listed thermometers specifically for cooking



2238-14	24HP	26HP
8" Stem Test	Oven Thermometer	Holding Cabinet Thermometer
50° to 550°F (10° to 288°C)	100° to 600°F (50° to 300°C)	100° to 175°F (38° to 80°C)
±5°F (±3°C)	±25°F (12.5°C)	±3°F (1.5°C)
-	Stainless Steel	Stainless Steel
2" (50 mm)	2" (50 mm)	2" (50 mm)
0.15" (3.8 mm)	-	-
8" (203 mm) w/ vessel clip	-	-
Glass	Glass	Glass
1 oz (28 g)	1.5 oz (43 g)	1.5 oz (43 g)
		
1 Year	1 Year	1 Year



2200-07
Cooling Thermometer
Monitor temperatures as it cools



24HP
Voted Most Reliable Oven
Thermometer by America's
Test Kitchen

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: cuo@nt-rt.ru || сайт: <https://cooper-atkins.nt-rt.ru/>